

# D390 GHSA Urbanline Quickclean Safety Data Sheet

## Section 1: Identification of the Substance/ Mixture and of the Company/Undertaking

### 1.1. Product identifier

**Product Code** D390 GHSA  
**Safety data sheet number** D390 GHS Australia  
**Product Name** Urbanline QuickClean  
**Pure substance/mixture** Mixture  
Contains 2-butoxyethanol, Sodium lauryl ether sulfate, Sodium metasilicate anhydrous, Coconut diethanolamide, Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one & 2-methyl-4-isothiazolin-3-one

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

\*1= Yes

**Recommended Use** Heavy duty cleaner/degreaser  
**Uses advised against** Not Applicable

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Chemisys Karma Pty Ltd, P. O. Box 3604, Loganholme, QLD 4129, Australia

For further information, please contact

**Contact Point** Technical Support  
**E-mail address** admin@chemisys.com.au

### 1.4. Emergency telephone number

**Emergency telephone** 1300 128835 or  
0438 923248

## Section 2: Hazards Identification

### 2.1. Classification of the substance or mixture

Regulation [EC] No 1272/2008

THIS MIXTURE IS CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

<b>Skin corrosion/irritation</b>	Category 2 - [H315]
<b>Serious eye damage/eye irritation</b>	Category 1 - [H318]
<b>Skin sensitization</b>	Category 1 - [H317]
<b>Chronic aquatic toxicity</b>	Category 3 - [H412]

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

### 2.2. Label elements

#### Product identifier

Contains 2-butoxyethanol, Sodium lauryl ether sulfate, Sodium metasilicate anhydrous, Coconut diethanolamide, Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one & 2-methyl-4-isothiazolin-3-one

THIS MIXTURE IS CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA



#### Signal word

Danger

#### Hazard statements

H315 Causes skin irritation  
H317 May cause an allergic skin reaction  
H318 Causes serious eye damage  
H412 Harmful to aquatic life with long lasting effects

#### Precautionary Statements - EU [§28, 1272/2008]

P101 If medical advice is needed, have product container or label at hand  
P102 Keep out of reach of children  
P103 Read label before use  
P260 Do not breathe dust/fume/gas/mist/vapors/spray  
P262 Do not get in eyes, on skin, or on clothing  
P273 Avoid release to the environment  
P280 Wear protective gloves and eye/face protection  
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed  
P501 Dispose of contents/ container to an approved landfill

### 2.3. Other hazards

May be harmful if swallowed  
Harmful to aquatic life  
Not Applicable

# D390 GHSA Urbanline Quickclean Safety Data Sheet

## Section 3: Composition/Information on Ingredients

### 3.1 Substances

#### Chemical nature

Mixture of organic compounds.

Chemical Name	CAS No.	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol	111-76-2	10-30	Xn; R20/21/22 Xi; R36/38	Acute Tox. 4 [H302] Acute Tox. 4 [H312] Acute Tox. 4 [H332] Skin Irrit. 2 [H315] Eye Irrit. 2 [H319]
Sodium lauryl ether sulfate	9004-82-4	10-30	-	No data available
Sodium metasilicate anhydrous	6834-92-0	<10	C; R34 Xi; R37	Skin Corr. 1B [H314] STOT SE 3 [H335]
Coconut diethanolamide	68603-42-9	<10	-	No data available
Diethanolamine	111-42-2	<10	Xn; R22-48/22 Xi; R38-41	Acute Tox. 4 [H302] Skin Irrit. 2 [H315] Eye Dam. 1 [H318] STOT RE 2 [H373]
Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one & 2-methyl-4-isothiazolin-3-one	55965-84-9	<1	T; R23/24/25 C; R34 R43 N; R50-53	Acute Tox. 3 [H301] Acute Tox. 3 [H311] Acute Tox. 3 [H331] Skin Corr. 1B [H314] Skin Sens. 1 [H317] Aquatic Acute 1 [H400] Aquatic Chronic 1 [H410]

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

## Section 4: First Aid Measures

### 4.1. Description of first aid measures

- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
- Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
- Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Get medical attention immediately if irritation persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Self-protection of the first aider** First aider: Pay attention to self-protection!.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Not Applicable.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

# D390 GHSA Urbanline Quickclean Safety Data Sheet

## Section 5: Fire Fighting Measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

Not Applicable

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Personal protective equipment must be used.

## Section 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Ensure adequate ventilation, especially in confined areas.

#### For emergency responders

Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Collect spillage.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

### 6.4. Reference to other sections

Not Applicable.

## Section 7: Handling And Storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment must be used. Ensure adequate ventilation, especially in confined areas.

#### General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated place.

**Packaging materials** Incompatible with metal containers.

### 7.3. Specific end use(s)

#### Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

#### Other Information

Do not attempt to refill or clean containers. All empty containers should be disposed of in an environmentally safe manner in accordance with all government regulations.

# D390 GHSA Urbanline Quickclean Safety Data Sheet

## Section 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Chemical Name	Australia	European Union	United Kingdom	France	Spain	Germany
2-butoxyethanol 111-76-2	20 ppm	S*	STEL: 50 ppm	TWA: 10 ppm	S*	TWA: 10 ppm
	96.9 mg/m <sup>3</sup>	TWA 20 ppm	STEL: 246	TWA: 49 mg/m <sup>3</sup>	STEL: 50 ppm	TWA: 49 mg/m <sup>3</sup>
	50 ppm STEL	TWA 98 mg/m <sup>3</sup>	mg/m <sup>3</sup>	STEL: 50 ppm	STEL: 245	Ceiling / Peak: 20 ppm
	242 mg/m <sup>3</sup>	STEL 50 ppm	TWA: 25 ppm	STEL: 246	mg/m <sup>3</sup>	Ceiling / Peak: 98 mg/m <sup>3</sup>
	STEL Skin	STEL 246 mg/m <sup>3</sup>	TWA: 123 mg/m <sup>3</sup> Skin	mg/m <sup>3</sup>	TWA: 20 ppm TWA: 98 mg/m <sup>3</sup>	Skin
Diethanolamine 111-42-2	3 ppm	-	-	TWA: 3 ppm	S*	TWA: 1 mg/m <sup>3</sup>
	13 mg/m <sup>3</sup>			TWA: 15 mg/m <sup>3</sup>	TWA: 0.46 ppm TWA: 2 mg/m <sup>3</sup>	Ceiling / Peak: 1 mg/m <sup>3</sup> Skin

Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
2-butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 20 ppm	Skin	TWA: 20 ppm	TWA: 20 ppm
	TWA: 98 mg/m <sup>3</sup>		STEL: 246 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup>
	STEL: 50 ppm		TWA: 100 mg/m <sup>3</sup>	STEL: 50 ppm	Skin
	STEL: 246 mg/m <sup>3</sup> Skin			STEL: 250 mg/m <sup>3</sup> Skin	
Diethanolamine 111-42-2	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 0.46 ppm	TWA: 0.46 ppm
				TWA: 2 mg/m <sup>3</sup> Skin	TWA: 2 mg/m <sup>3</sup> Skin

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
2-butoxyethanol 111-76-2	Skin	Skin	STEL: 200 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 20 ppm
	STEL 40 ppm	STEL: 20 ppm	TWA: 98 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup>	TWA: 98 mg/m <sup>3</sup>
	STEL 200 mg/m <sup>3</sup>	STEL: 98 mg/m <sup>3</sup>		Skin	STEL: 50 ppm
	TWA: 20 ppm	TWA: 10 ppm		STEL: 20 ppm	STEL: 246 mg/m <sup>3</sup>
Diethanolamine 111-42-2	TWA: 98 mg/m <sup>3</sup>	TWA: 49 mg/m <sup>3</sup>		STEL: 75 mg/m <sup>3</sup>	Skin
	Skin	Skin	TWA: 9 mg/m <sup>3</sup>	TWA: 3 ppm	TWA: 1 mg/m <sup>3</sup>
	STEL 0.92 ppm	STEL: 1 mg/m <sup>3</sup>		TWA: 15 mg/m <sup>3</sup>	
	STEL 4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>		STEL: 6 ppm	
Mixture of 5-chloro-2- methyl-4-isothiazolin- 3-one & 2-methyl- 4-isothiazolin-3-one 55965-84-9	TWA: 0.46 ppm			STEL: 22.5 mg/m <sup>3</sup>	
	TWA: 2 mg/m <sup>3</sup>				
Mixture of 5-chloro-2- methyl-4-isothiazolin- 3-one & 2-methyl- 4-isothiazolin-3-one 55965-84-9	Skin	-	-	-	-
	TWA: 0.05 mg/m <sup>3</sup>				

# D390 GHSA Urbanline Quickclean Safety Data Sheet

Chemical Name	Australia	European Union	United Kingdom	France	Spain	Germany
2-butoxyethanol 111-76-2	-	-	240	0	200	100 mg/L 200 mg/L

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
2-butoxyethanol 111-76-2	-	100 200	0	-	-

**Derived No Effect Level (DNEL)** Not Applicable

**Predicted No Effect Concentration (PNEC)** Not Applicable.

**Recommended Filter type:** Use cartridges suitable for organic vapours.

**Environmental exposure controls** Not Applicable.

## 8.2. Exposure controls

**Engineering Controls** NEVER exceed exposure limits. Ensure adequate ventilation, especially in confined areas. Showers. Eyewash stations. Ventilation systems.

### Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Reference should be made to AS/NZS 1336/1337 for suitable equipment.

**Hand Protection** Wear protective gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Reference should be made to AS/NZS 2161 for suitable equipment.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Reference should be made to AS/NZS 3765/2210 for suitable equipment.

**Respiratory protection** Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Reference should be made to AS/NZS 1715/1716 for suitable equipment.

## Section 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Physical state** - liquid  
**Appearance** Not Applicable  
**Odor** Not Applicable  
**Color** blue  
**Odor threshold** Not Applicable

Property	Values	Remarks • Method
pH	11	Not Applicable
Melting point/freezing point		Not Applicable
Boiling point / boiling range		Not Applicable
Flash point		Not Applicable
Evaporation rate		Not Applicable
Flammability (solid, gas)		Not Applicable
Flammability Limit in Air		
Upper flammability limit:		Not Applicable
Lower flammability limit:		Not Applicable
Vapor pressure		Not Applicable
Vapor density		Not Applicable
Specific Gravity	1.01	Not Applicable
Water solubility	completely soluble	Not Applicable
Solubility(ies)		Not Applicable
Partition coefficient		Not Applicable
Autoignition temperature		Not Applicable
Decomposition temperature		Not Applicable
Kinematic viscosity		Not Applicable
Dynamic viscosity		Not Applicable
Explosive properties	Not Applicable	
Oxidizing properties	Not Applicable	

# D390 GHSA Urbanline Quickclean Safety Data Sheet

## 9.2. Other information

<b>Softening point</b>	Not Applicable
<b>Molecular weight</b>	Not Applicable
<b>VOC Content (%)</b>	Not Applicable
<b>Density</b>	Not Applicable
<b>Bulk density</b>	Not Applicable

## Section 10: Stability And Reactivity

### 10.1. Reactivity

Not applicable No data available.

### 10.2. Chemical stability

Stable under normal conditions.

### Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

### 10.3. Possibility of hazardous reactions

#### Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

### 10.4. Conditions to avoid

Avoid oxidizing agents, acids, aluminium, other light metals and their alloys, tin, zinc, glass in storage and use.

### 10.5. Incompatible materials

Incompatible with oxidizing agents, acids, aluminium, other light metals and their alloys, tin, zinc, glass.

### 10.6. Hazardous decomposition products

Reacts with aluminum and other light metals to generate hydrogen. Acids decompose the product and silicic acid precipitates.

## Section 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

#### Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

**Inhalation** May cause irritation of respiratory tract. Avoid breathing vapors or mists.

**Eye contact** Risk of serious damage to eyes. Avoid contact with eyes.

**Skin Contact** Irritating to skin. Avoid contact with skin.

**Ingestion** May be harmful if swallowed.

#### Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	2,296.00
<b>ATEmix (dermal)</b>	8,462.00
<b>ATEmix (inhalation-dust/mist)</b>	10.60
<b>ATEmix (inhalation-vapor)</b>	3,462.00

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg [ Rat ]		
2-butoxyethanol	= 470 mg/kg [ Rat ]	= 220 mg/kg [ Rabbit ]	= 450 ppm [ Rat ] 4 h
Sodium lauryl ether sulfate	= 1600 mg/kg [ Rat ]		
Sodium metasilicate anhydrous	= 600 mg/kg [ Rat ]		
Coconut diethanolamide	= 12400 µL/kg [ Rat ]		
Diethanolamine	= 0.62 mL/kg [ Rat ] = 620 µL/kg [ Rat ]	= 7640 µL/kg [ Rabbit ]	
Sodium nitrate	= 1267 mg/kg [ Rat ]		
Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one & 2-methyl-4-isothiazolin-3-one	= 53 mg/kg [ Rat ]		

**Skin corrosion/irritation** Irritating to skin.

**Serious eye damage/eye irritation** Risk of serious damage to eyes.

**Sensitization** Not Applicable.

**Germ cell mutagenicity** Not Applicable.

**Carcinogenicity** Not Applicable.

**Reproductive toxicity** Not Applicable.

**STOT - single exposure** Not Applicable.

# D390 GHSA Urbanline Quickclean Safety Data Sheet

**STOT - repeated exposure** Not Applicable.

**Target Organ Effects** Blood, Central nervous system, Eyes, Hematopoietic System, Kidney, Liver, Respiratory system, Skin.

**Other adverse effects** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. May cause inflammation of the upper respiratory tract. Prolonged skin contact can cause dermatitis, cyanosis

of the fingers and possible ulceration. May affect kidneys.

**Aspiration hazard** Not Applicable.

## Section 12: Ecological Information

### 12.1. Toxicity

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Sodium metasilicate anhydrous	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50
Coconut diethanolamide	-	3.6: 96 h Brachydanio rerio mg/L LC50 semi-static	4.2: 24 h Daphnia magna mg/L EC50
Diethanolamine	7.8: 72 h Desmodosmus subspicatus mg/L EC50 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50	4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	55: 48 h Daphnia magna mg/L EC50

### 12.2. Persistence and degradability

Not Applicable.

### 12.3. Bioaccumulative potential

Not Applicable.

Chemical Name	Partition coefficient
2-butoxyethanol	-0.81
Diethanolamine	-2.18

### 12.4. Mobility in soil

**Mobility in soil**

Not Applicable.

### 12.5. Results of PBT and vPvB assessment

Not Applicable.

### 12.6. Other adverse effects

Not Applicable

## Section 13: Disposal Considerations

### 13.1. Waste treatment methods

#### Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging

Do not reuse container. Do not pressurize, cut, weld, solder, drill, grind or expose containers to heat, flames, sparks, or other potential sources of ignition. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: Transport Information

### IMDG

<b>14.1 UN/ID no.</b>	Not regulated
<b>14.2 Proper shipping name</b>	Not regulated
<b>14.3 Hazard Class</b>	Not regulated
<b>14.4 Packing Group</b>	Not regulated



# D390 GHSA Urbanline Quickclean Safety Data Sheet

14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not Applicable

## RID

14.1	UN/ID no.	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

## ADR

14.1	UN/ID no.	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

## ICAO (air)

14.1	UN/ID no.	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

## IATA

14.1	UN/ID no.	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

## Section 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

See section 8 for national exposure control parameters

#### Carcinogenicity

#### International Inventories

TSCA	Does not comply
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Does not comply

#### Legend:

TSCA	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	Japan Existing and New Chemical Substances
IECSC	China Inventory of Existing Chemical Substances
KECL	Korean Existing and Evaluated Chemical Substances
PICCS	Philippines Inventory of Chemicals and Chemical Substances
AICS	Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Not Applicable

#### Full text of R-phrases referred to under sections 2 and 3

Not Applicable

#### Full text of H-Statements referred to under section 3

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H373	May cause damage to organs through prolonged or repeated exposure if inhaled
H312	Harmful in contact with skin
H332	Harmful if inhaled
H319	Causes serious eye irritation
H301	Toxic if swallowed



# D390 GHSA Urbanline Quickclean Safety Data Sheet

H311	Toxic in contact with skin
H331	Toxic if inhaled
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H335	May cause respiratory irritation

**Issue Date** 21-May-2014

**Revision Date** 24-May-2014

**Revision Note** Not applicable.

This material safety data sheet complies with the requirements of Regulation [EC] No. 1907/2006

#### Disclaimer

This data sheet and the health, safety and environment information it contains is considered to be accurate as at the date specified. However no warranty or representation expressed or implied is made as to the accuracy or completeness of the data and the information in this data sheet. Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the users obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Chemisys shall not be responsible for any damage or injury resulting from the abnormal use of this material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

End of Safety Data Sheet